





# SPOTLIGHTS



LED SPOTLIGHT

VA 5190



**Technical specification**

Arm-light with 16 high power LED's. Serial connection available with special cable sets. Possible to serial connect up to 35 fixtures. High quality transparent polycarbonate lens with flood beam spread. Housing of aluminum die-cast for efficient cooling of the LED's. Built in electronic gear.

**Model and colours**


Available in grey colour.

**Technical data**

Mains (input) voltage	220-240 V
Form of protection	IP 20, class III
Colour temperature	3 000 K
Light output	1919 lm
Lamp type	LED
Operating position	Vertical, tilting
Energy consumption	29,3 W
Control gear	Electronic
Ballast	Built in
Lens	Transparent polycarbonate
Beam spreads	Flood
Clip standard for Octanorm extrusion	

VA 5190

FITTINGS



- Power cord grey, 3000mm
- Extrusion cord grey, cc 990mm
- Extrusion cord grey, cc 1980mm
- Extrusion cord grey, cc 2970mm


- VA 5191
- VA 5192
- VA 5193
- VA 5194

DETAILS - CLIPS

See page below

LED SPOTLIGHT DINO MINI

VA 5197



Technical specification

Display light with mid power LEDs.  
Housing of Aluminum die-cast for efficient cooling of the LEDs. Separate NL.  
Power LED electronic gear for optimal life time and light flow performance.

Model and colours

Available in grey colour.

VA 5197


Technical data

Mains (input) voltage	220-240 V
Form of protection	IP 20, class III
Colour temperature	3 000 K
Colour rendering index (CRI)	80+
Luminare output	1219 lm
Light source	LED
Operating position	Vertical, tilting
Energy consumption	15 W
Driver	Separate
Safety glass	Included
Beam spreads	Flood
Clip standard for Octanorm extrusion	

DETAILS - CLIPS



Standard clip 15-17mm




VA 0052 SW  
VA 0052

With longer screw 4,5-17mm



Standard clip 22,5-25mm




VA 0054 SW  
VA 0054

With longer screw 13-25mm



Standard clip 36,5-39mm




VA 0056 SW  
VA 0056

With longer screw 26,5-39



Syma clip



VA 0057 SW  
VA 0057